

Attorney's Docket No.: Camouflage/TL/SCH

defining a camouflage pattern using a user interface associated with an automated computer and producing an output file indicative thereof; and using said output file to control a laser to form said camouflage pattern on a textile material.

2. A method as in claim 1, wherein said defining comprises defining a unique output file which is unique for a single application to the textile material.

3. A method as in claim 1, wherein said defining comprises forming an image having a plurality of different portions therein, associating each said portion with a power output of the laser, to thereby produce power outputs from said lasers based on said portions.

4. A method as in claim 3, wherein each said portion is a specified color.

5. A method as in claim 4, wherein said camouflage pattern includes a plurality of random shapes and colors.

6. A method as in claim 3, wherein each laser power output is a duty cycle output.

7. A method as in claim 3, wherein each laser power output is a specified level of energy density per unit time.

Attorney's Docket No.: Camouflage/TL/SCH

8. A method as in claim 1, wherein said textile material is denim material.
9. A method as in claim 3, wherein the laser is controlled to scan in lines, and at least one of said lines has a varying power within the line.
10. A method as in claim 1, wherein said defining comprises using a random number generator to form the shapes.
11. A method as in claim 1, wherein said defining comprises drawing a pattern in a plurality of different colors, and assigning each color of the pattern to a specified laser power.
12. A method as in claim 11, wherein said assigning comprises determining a minimum laser power which will not change a look of the material, and determining a maximum laser power which causes a maximum amount of change to the look of the material, and defining intermediate laser powers between said maximum and minimum laser power.
13. (Amended) A method, comprising:  
defining a unique shape and producing an output file indicative thereof, said unique shape being unique to a single output file; and

Attorney's Docket No.: Camouflage/TL/SCH

using said output file to control a laser to produce said unique shape on a textile material to produce a unique textile material,

wherein said unique shape includes a plurality of areas, each of the plurality of areas being defined by a different color, and each color associated with a different laser power,

wherein said output file is a file that instructs said laser to scribe lines on the fabric, wherein at least one of said lines has a power that varies within the line.

14. Cancel

15. (Amended) A method as in claim 13, wherein said laser power is an energy density per unit time.

16. (Amended) A method as in claim 13, wherein said laser power is a duty cycle.

17. Cancel

18. (Amended) A method as in claim 13, wherein there are ten different colors.

19. A method as in claim 13, wherein said unique shape is a camouflage shape.

Attorney's Docket No.: Camouflage/TL/SCH

20. A method as in claim 13, wherein said unique shape has rounded edges.
21. A method as in claim 13, wherein said unique shape is formed of polygonal portions.
22. A method as in claim 13, wherein said shapes define cow type spots.
23. A method as in claim 13, wherein said shape define irregularly positioned polka dots.
24. A method as in claim 13, wherein said shapes define a regular strips.
25. A method as in claim 13, wherein said defining a unique shape comprises using a random number generator to define said unique shape.
26. A method as in claim 13, further comprising defining a minimum output power which produces minimum color change to the garment at a minimum power, defining a maximum power level as a power level which causes a maximum amount of color change to the garment, and defining a plurality of intermediate power levels between said minimum and maximum power levels.

Attorney's Docket No.: Camouflage/TL/SCH

27. (Amended) A method as in claim 26, further comprising assigning each of said power levels to a color on a user interface.

28. A method as in claim 27, wherein said unique shape is a camouflage pattern with a plurality of rounded edges.

29. A method as in claim 13, wherein said textile material is denim.

30. A method as in claim 13, wherein said laser is used to form said image on denim jeans.

31. A method as in claim 27, wherein said unique shape is a plaid pattern.

#### REMARKS

Reconsideration and allowance of the above-referenced application are respectfully requested.

The antecedent issue in claim 27 has been obviated herein by amendment.

The claims stand rejected based on 35 U.S.C. 102 and/or 103 based on U.S. Patent No. 5,567,207 to Lockman, 5,916,461 to Costin, and/or 6,252,196 to Costin. Each of these contentions are respectfully traversed, and it is respectfully suggested that the entire rejection is based on hindsight. To elaborate, it is respectfully suggested that the rejections are based on the teachings of the present specification, not on the teachings of the prior art.